



LOLO Missed Pill Guideline

Copied from Product Monograph (2013)

Sunday Start	Day 1 Start
Miss 1 blue Pill	Miss 1 blue Pill
Take it as soon as you remember, and take the next pill at the usual time. This means that you might take two pills in one day.	
Miss 2 blue pills in a row in Week 1 or Week 2	Miss 2 blue pills in a row in Week 1 or Week 2
<ol style="list-style-type: none"> 1. Take two pills the day you remember and two pills the next day. 2. Then take one pill a day until you finish the pack. 3. Use a back-up (barrier) method of birth control if you have sex in the seven days after you miss the pills. 	
Miss 2 pills (blue or white) in a row in Week 3 or Week 4	Miss 2 pills (blue or white) in a row in Week 3 or Week 4
<ol style="list-style-type: none"> 1. Keep taking one pill a day until Sunday. 2. On Sunday, safely discard the rest of the pack and start a new pack that day. 3. Use a back-up (barrier) method of birth control if you have sex in the seven days after you miss the pills. 4. You may not have a period this month. 	<ol style="list-style-type: none"> 1. Safely dispose of the rest of the pill pack and start a new pack that same day. 2. Use a back-up (barrier) method of birth control if you have sex in the seven days after you miss the pills. 3. You may not have a period this month.
If you miss two periods in a row, call your doctor or clinic.	
Miss 3 or more (blue or white) pills in a row at any time	Miss 3 or more pills (blue or white) in a row at any time
<ol style="list-style-type: none"> 1. Keep taking one pill a day until Sunday. 2. On Sunday, safely discard the rest of the pack and start a new pack that day. 3. Use a back-up (barrier) method of birth control if you have sex in the seven days after you miss the pills. 4. You may not have a period this month 	<ol style="list-style-type: none"> 1. Safely dispose of the rest of the pill pack and start a new pack that same day. 2. Use a back-up (barrier) method of birth control if you have sex in the seven days after you miss the pills. 3. You may not have a period this month.
If you miss two periods in a row, call your doctor or clinic.	

Advice in case of vomiting or diarrhea: If vomiting or diarrhea occurs within 3 to 4 hours after a blue or white tablet is taken, absorption may not be complete. In such an event, the advice concerning management of missed pills is applicable.